

# Casement Windows

Liniar 70mm system

Order

Quote

Company name:	Page: _____ of _____	Date:
Company postcode:	Requested delivery date:	
Contact name:	Your reference:	
Contact telephone:	Our order number:	

System type	Sculptured	Chamfered	
Bead type	Sculptured	Chamfered	
Colour			
Glazing	Glazed	Unglazed	
Glazing type	Double	Triple	
Energy rating	C	A	A+ A++
Secured by Design	Yes	No	

# TruFrame

Hand Finished Windows & Doors

Units 3KLM Hudson Road,  
Saxby Road Industrial Estate,  
Melton Mowbray  
Leicestershire LE13 1BS

T: 01664 401140

F: 01664 401141

E: orders@truframe.co.uk

E: quotes@truframe.co.uk

LOCATION	QTY	Width	(including add-on)					Locking system	Espag		Shootbolt			Notes / Special requirements
		Height	(including cill)					Hinge protectors	Yes		No			
		Mullion centre	(if not 600mm)					French casement	Yes		No			
		Transom drop	(if not 400mm)					Master leaf	Left		Right		N/A	
		Large outer frame	Top	Bottom	Left	Right	Add-on size	10mm	20mm	50mm	2.5mm coupler	20mm coupler		
		Cill type	85mm	150mm	165mm	180mm	225mm	None	Side(s) required	Top	Bottom	Left	Right	
		Drainage	Concealed		Face		None		Glass type	Annealed		Toughened	Laminated	
		Friction stays	Standard	Restrictor	Egress	Easy Clean	Mega	Glass appearance	Clear		Patterned:			
		Handle type	Standard			Monkey tail			Spacer bar colour					
		Handle colour						Glass decoration						

LOCATION	QTY	Width	(including add-on)					Locking system	Espag		Shootbolt			Notes / Special requirements
		Height	(including cill)					Hinge protectors	Yes		No			
		Mullion centre	(if not 600mm)					French casement	Yes		No			
		Transom drop	(if not 400mm)					Master leaf	Left		Right		N/A	
		Large outer frame	Top	Bottom	Left	Right	Add-on size	10mm	20mm	50mm	2.5mm coupler	20mm coupler		
		Cill type	85mm	150mm	165mm	180mm	225mm	None	Side(s) required	Top	Bottom	Left	Right	
		Drainage	Concealed		Face		None		Glass type	Annealed		Toughened	Laminated	
		Friction stays	Standard	Restrictor	Egress	Easy Clean	Mega	Glass appearance	Clear		Patterned:			
		Handle type	Standard			Monkey tail			Spacer bar colour					
		Handle colour						Glass decoration						

LOCATION	QTY	Width	(including add-on)					Locking system	Espag		Shootbolt			Notes / Special requirements
		Height	(including cill)					Hinge protectors	Yes		No			
		Mullion centre	(if not 600mm)					French casement	Yes		No			
		Transom drop	(if not 400mm)					Master leaf	Left		Right		N/A	
		Large outer frame	Top	Bottom	Left	Right	Add-on size	10mm	20mm	50mm	2.5mm coupler	20mm coupler		
		Cill type	85mm	150mm	165mm	180mm	225mm	None	Side(s) required	Top	Bottom	Left	Right	
		Drainage	Concealed		Face		None		Glass type	Annealed		Toughened	Laminated	
		Friction stays	Standard	Restrictor	Egress	Easy Clean	Mega	Glass appearance	Clear		Patterned:			
		Handle type	Standard			Monkey tail			Spacer bar colour					
		Handle colour						Glass decoration						

**Declaration** - I understand the product specification and confirm familiarity with the producer's standards. I understand that this order cannot be cancelled, changed or delayed once placed and accept full responsibility for this order, even if it has been completed by a third party or TruFrame representative. I have read, understood and agreed to the terms and conditions of sale. By submitting this order form, I instruct TruFrame to process this order as per this declaration.

Signed: \_\_\_\_\_

Date: \_\_\_\_\_

**Refine™ Windows**  
Liniar 70mm system

**Order**

**Quote**

Company name:	Page: _____ of _____	Date:
Company postcode:	Requested delivery date:	
Contact name:	Your reference:	
Contact telephone:	Our order number:	

System type	Sculptured		
Bead type	Sculptured		
Join type	Refine™ Mechanical Joints		
Colour			
Glazing type	Glazed	Unglazed	
Energy rating	C	A	A+
Secured by Design	Yes		No

**TruFrame**  
Hand Finished Windows & Doors

Units 3KLM Hudson Road,  
Saxby Road Industrial Estate,  
Melton Mowbray  
Leicestershire LE13 1BS

T: 01664 401140  
F: 01664 401141

E: orders@truframe.co.uk  
E: quotes@truframe.co.uk

LOCATION	QTY	Width	(including add-on)					Sash stay bar	Yes	No	Notes / Special requirements			
		Height	(including cill)					Hinge protectors	Yes	No				
		Mullion centre	(if not 600mm)					French casement	Yes	No				
		Transom drop	(if not 400mm)					Master leaf	Left	Right		N/A		
		Large outer frame	Top	Bottom	Left	Right	Add-on size	10mm	20mm	50mm		2.5mm coupler	20mm coupler	
		Cill type	85mm	150mm	165mm	180mm	225mm	None	Side(s) required	Top		Bottom	Left	Right
		Drainage	Concealed		Face		None		Glass type	Annealed		Toughened	Laminated	
		Friction stays	Standard	Restrictor	Egress	Easy Clean	Mega	Glass appearance	Clear	Patterned:				
		Handle type	Standard		Monkey tail			Spacer bar colour						
		Handle colour						Glass decoration						

LOCATION	QTY	Width	(including add-on)					Sash stay bar	Yes	No	Notes / Special requirements			
		Height	(including cill)					Hinge protectors	Yes	No				
		Mullion centre	(if not 600mm)					French casement	Yes	No				
		Transom drop	(if not 400mm)					Master leaf	Left	Right		N/A		
		Large outer frame	Top	Bottom	Left	Right	Add-on size	10mm	20mm	50mm		2.5mm coupler	20mm coupler	
		Cill type	85mm	150mm	165mm	180mm	225mm	None	Side(s) required	Top		Bottom	Left	Right
		Drainage	Concealed		Face		None		Glass type	Annealed		Toughened	Laminated	
		Friction stays	Standard	Restrictor	Egress	Easy Clean	Mega	Glass appearance	Clear	Patterned:				
		Handle type	Standard		Monkey tail			Spacer bar colour						
		Handle colour						Glass decoration						

LOCATION	QTY	Width	(including add-on)					Sash stay bar	Yes	No	Notes / Special requirements			
		Height	(including cill)					Hinge protectors	Yes	No				
		Mullion centre	(if not 600mm)					French casement	Yes	No				
		Transom drop	(if not 400mm)					Master leaf	Left	Right		N/A		
		Large outer frame	Top	Bottom	Left	Right	Add-on size	10mm	20mm	50mm		2.5mm coupler	20mm coupler	
		Cill type	85mm	150mm	165mm	180mm	225mm	None	Side(s) required	Top		Bottom	Left	Right
		Drainage	Concealed		Face		None		Glass type	Annealed		Toughened	Laminated	
		Friction stays	Standard	Restrictor	Egress	Easy Clean	Mega	Glass appearance	Clear	Patterned:				
		Handle type	Standard		Monkey tail			Spacer bar colour						
		Handle colour						Glass decoration						

**Declaration** - I understand the product specification and confirm familiarity with the producer's standards. I understand that this order cannot be cancelled, changed or delayed once placed and accept full responsibility for this order, even if it has been completed by a third party or TruFrame representative. I have read, understood and agreed to the terms and conditions of sale. By submitting this order form, I instruct TruFrame to process this order as per this declaration.

Signed: \_\_\_\_\_

Date: \_\_\_\_\_

# Flush Sash Windows

Liniar 70mm system

Order

Quote

Company name:	Page: _____ of _____	Date:
Company postcode:	Requested delivery date:	
Contact name:	Your reference:	
Contact telephone:	Our order number:	

System type	Sculptured		
Bead type	Sculptured		
Join type	Welded Joints		
Colour			
Glazing type	Glazed	Unglazed	
Energy rating	C	A	A+
Secured by Design	Yes		No



Hand Finished Windows & Doors

Units 3KLM Hudson Road,  
Saxby Road Industrial Estate,  
Melton Mowbray  
Leicestershire LE13 1BS

T: 01664 401140

F: 01664 401141

E: orders@truframe.co.uk

E: quotes@truframe.co.uk

LOCATION	QTY	Width	(including add-on)					Sash stay bar	Yes	No	Notes / Special requirements			
		Height	(including cill)					Hinge protectors	Yes	No				
		Mullion centre	(if not 600mm)					French casement	Yes	No				
		Transom drop	(if not 400mm)					Master leaf	Left	Right		N/A		
		Large outer frame	Top	Bottom	Left	Right	Add-on size	10mm	20mm	50mm		2.5mm coupler	20mm coupler	
		Cill type	85mm	150mm	165mm	180mm	225mm	None	Side(s) required	Top		Bottom	Left	Right
		Drainage	Concealed		Face		None		Glass type	Annealed		Toughened	Laminated	
		Friction stays	Standard	Restrictor	Egress	Easy Clean	Mega	Glass appearance	Clear	Patterned:				
		Handle type	Standard		Monkey tail			Spacer bar colour						
		Handle colour						Glass decoration						

LOCATION	QTY	Width	(including add-on)					Sash stay bar	Yes	No	Notes / Special requirements			
		Height	(including cill)					Hinge protectors	Yes	No				
		Mullion centre	(if not 600mm)					French casement	Yes	No				
		Transom drop	(if not 400mm)					Master leaf	Left	Right		N/A		
		Large outer frame	Top	Bottom	Left	Right	Add-on size	10mm	20mm	50mm		2.5mm coupler	20mm coupler	
		Cill type	85mm	150mm	165mm	180mm	225mm	None	Side(s) required	Top		Bottom	Left	Right
		Drainage	Concealed		Face		None		Glass type	Annealed		Toughened	Laminated	
		Friction stays	Standard	Restrictor	Egress	Easy Clean	Mega	Glass appearance	Clear	Patterned:				
		Handle type	Standard		Monkey tail			Spacer bar colour						
		Handle colour						Glass decoration						

LOCATION	QTY	Width	(including add-on)					Sash stay bar	Yes	No	Notes / Special requirements			
		Height	(including cill)					Hinge protectors	Yes	No				
		Mullion centre	(if not 600mm)					French casement	Yes	No				
		Transom drop	(if not 400mm)					Master leaf	Left	Right		N/A		
		Large outer frame	Top	Bottom	Left	Right	Add-on size	10mm	20mm	50mm		2.5mm coupler	20mm coupler	
		Cill type	85mm	150mm	165mm	180mm	225mm	None	Side(s) required	Top		Bottom	Left	Right
		Drainage	Concealed		Face		None		Glass type	Annealed		Toughened	Laminated	
		Friction stays	Standard	Restrictor	Egress	Easy Clean	Mega	Glass appearance	Clear	Patterned:				
		Handle type	Standard		Monkey tail			Spacer bar colour						
		Handle colour						Glass decoration						

**Declaration** - I understand the product specification and confirm familiarity with the producer's standards. I understand that this order cannot be cancelled, changed or delayed once placed and accept full responsibility for this order, even if it has been completed by a third party or TruFrame representative. I have read, understood and agreed to the terms and conditions of sale. By submitting this order form, I instruct TruFrame to process this order as per this declaration.

Signed: \_\_\_\_\_

Date: \_\_\_\_\_

# Tilt & Turn Windows

Liniar 70mm system

Order

Quote

Company name:	Page: _____ of _____	Date:
Company postcode:	Requested delivery date:	
Contact name:	Your reference:	
Contact telephone:	Our order number:	

System type	Sculptured	Chamfered
Bead type	Sculptured	Chamfered
Colour		
Glazing	Glazed	Unglazed
Glazing type	Double	Triple
Glass spec to WER	C	A
Secured by Design	Yes	No



Hand Finished Windows & Doors

Units 3KLM Hudson Road,  
Saxby Road Industrial Estate,  
Melton Mowbray  
Leicestershire LE13 1BS

T: 01664 401140

F: 01664 401141

E: orders@truframe.co.uk

E: quotes@truframe.co.uk

LOCATION	QTY	Width	(including add-on)					Handle type	Standard	Tilt safe			Notes / Special requirements	
		Height	(including cill)					Handle colour						
		Mullion centre	(if not 600mm)					Add-on size	10mm	20mm	50mm	Coupler 2.5		Coupler 20
		Transom drop	(if not 400mm)					Side(s) required	Top	Bottom	Left	Right		
		Large outer frame	Top	Bottom	Left	Right	Glass type	Annealed	Toughened	Laminated				
		Cill type	85mm	150mm	165mm	180mm	225mm	None	Glass appearance	Clear	Patterned:			
		Drainage	Concealed	Face		None		Spacer bar type	Aluminium	Warm edge spacer				
		Sash drip bar	Yes			No			Spacer bar colour					

LOCATION	QTY	Width	(including add-on)					Handle type	Standard	Tilt safe			Notes / Special requirements	
		Height	(including cill)					Handle colour						
		Mullion centre	(if not 600mm)					Add-on size	10mm	20mm	50mm	Coupler 2.5		Coupler 20
		Transom drop	(if not 400mm)					Side(s) required	Top	Bottom	Left	Right		
		Large outer frame	Top	Bottom	Left	Right	Glass type	Annealed	Toughened	Laminated				
		Cill type	85mm	150mm	165mm	180mm	225mm	None	Glass appearance	Clear	Patterned:			
		Drainage	Concealed	Face		None		Spacer bar type	Aluminium	Warm edge spacer				
		Sash drip bar	Yes			No			Spacer bar colour					

LOCATION	QTY	Width	(including add-on)					Handle type	Standard	Tilt safe			Notes / Special requirements	
		Height	(including cill)					Handle colour						
		Mullion centre	(if not 600mm)					Add-on size	10mm	20mm	50mm	Coupler 2.5		Coupler 20
		Transom drop	(if not 400mm)					Side(s) required	Top	Bottom	Left	Right		
		Large outer frame	Top	Bottom	Left	Right	Glass type	Annealed	Toughened	Laminated				
		Cill type	85mm	150mm	165mm	180mm	225mm	None	Glass appearance	Clear	Patterned:			
		Drainage	Concealed	Face		None		Spacer bar type	Aluminium	Warm edge spacer				
		Sash drip bar	Yes			No			Spacer bar colour					

**Declaration** - I understand the product specification and confirm familiarity with the producer's standards. I understand that this order cannot be cancelled, changed or delayed once placed and accept full responsibility for this order, even if it has been completed by a third party or TruFrame representative. I have read, understood and agreed to the terms and conditions of sale. By submitting this order form, I instruct TruFrame to process this order as per this declaration.

Signed: \_\_\_\_\_

Date: \_\_\_\_\_

# Bay / Bow Windows

Linear 70mm system

Order

Quote

Company name:	Page: _____ of _____	Date:
Company postcode:	Requested delivery date:	
Contact name:	Your reference:	
Contact telephone:	Our order number:	

System type	Sculptured	Chamfered
Bead type	Sculptured	Chamfered
Colour		

**TruFrame**  
Hand Finished Windows & Doors

Units 3KLM Hudson Road,  
Saxby Road Industrial Estate,  
Melton Mowbray  
Leicestershire LE13 1BS

T: 01664 401140  
F: 01664 401141

E: orders@truframe.co.uk  
E: quotes@truframe.co.uk

**2 SIDED**

A	mm	C1	mm
B	deg	C2	mm

**3 SIDED**

A	mm	C1	mm
B1	deg	C2	mm
B2	deg	C3	mm

**4 SIDED**

A	mm	C1	mm
B1	deg	C2	mm
B2	deg	C3	mm
B3	deg	C4	mm

**5 SIDED**

A	mm	C1	mm
B1	deg	C2	mm
B2	deg	C3	mm
B3	deg	C4	mm
B4	deg	C5	mm

Height	(including cill)					
Transom drop	(if not 400mm)					
Cill type	85mm	150mm	165mm	180mm	225mm	None
Drainage	Concealed		Face		None	

Notes / Special requirements

**2 SIDED**

A	mm	C1	mm
B	deg	C2	mm

**3 SIDED**

A	mm	C1	mm
B1	deg	C2	mm
B2	deg	C3	mm

**4 SIDED**

A	mm	C1	mm
B1	deg	C2	mm
B2	deg	C3	mm
B3	deg	C4	mm

**5 SIDED**

A	mm	C1	mm
B1	deg	C2	mm
B2	deg	C3	mm
B3	deg	C4	mm
B4	deg	C5	mm

Height	(including cill)					
Transom drop	(if not 400mm)					
Cill type	85mm	150mm	165mm	180mm	225mm	None
Drainage	Concealed		Face		None	

Notes / Special requirements

**Declaration** - I understand the product specification and confirm familiarity with the producer's standards. I understand that this order cannot be cancelled, changed or delayed once placed and accept full responsibility for this order, even if it has been completed by a third party or TruFrame representative. I have read, understood and agreed to the terms and conditions of sale. By submitting this order form, I instruct TruFrame to process this order as per this declaration.

Signed: \_\_\_\_\_

Date: \_\_\_\_\_

# Bi-fold Doors

Liniar 70mm system

Order

Quote

Company name:	Page: _____ of _____	Date:
Company postcode:	Requested delivery date:	
Contact name:	Your reference:	
Contact telephone:	Our order number:	

System type	Sculptured only			
Bead type	Sculptured	Chamfered		
Colour				
Glazing	Glazed	Unglazed		
Glazing type	Double	Triple		
Glass spec to WER	C	A	A+	A++

## TruFrame

Hand Finished Windows & Doors

Units 3KLM Hudson Road,  
Saxby Road Industrial Estate,  
Melton Mowbray  
Leicestershire LE13 1BS

T: 01664 401140


F: 01664 401141

E: orders@truframe.co.uk


E: quotes@truframe.co.uk

ALL SCHEME DRAWINGS  
ARE LEFT HANDED AND  
VIEWED FROM OUTSIDE


220




321




330




422



431



440



LOCATION							QTY	Threshold	Frame	Aluminium (silver)	Aluminium (gold)	Notes / Special requirements	
								Threshold tray	Yes	No			
Scheme								Handle colour	White	Black	Chrome	Gold	
Slide direction	Left		Right					Hardware colour	White	Black	Chrome	Gold	
Width	(including add-on)							Add-on size	10mm	20mm	50mm	2.5mm coupler	20mm coupler
Height	(including cill)							Side(s) required	Top	Bottom	Left	Right	
Midrail height	(if not 850mm)							Glass type	Toughened		Laminated		
Opening direction	Open in			Open out				Glass appearance	Clear	Patterned:			
Cill type	85mm	150mm	165mm	180mm	225mm	None		Spacer bar type	Aluminium		Warm edge spacer		
Drainage	Concealed		Face		None			Spacer bar colour					

LOCATION							QTY	Threshold	Frame	Aluminium (silver)	Aluminium (gold)	Notes / Special requirements	
								Threshold tray	Yes	No			
Scheme								Handle colour	White	Black	Chrome	Gold	
Slide direction	Left		Right					Hardware colour	White	Black	Chrome	Gold	
Width	(including add-on)							Add-on size	10mm	20mm	50mm	2.5mm coupler	20mm coupler
Height	(including cill)							Side(s) required	Top	Bottom	Left	Right	
Midrail height	(if not 850mm)							Glass type	Toughened		Laminated		
Opening direction	Open in			Open out				Glass appearance	Clear	Patterned:			
Cill type	85mm	150mm	165mm	180mm	225mm	None		Spacer bar type	Aluminium		Warm edge spacer		
Drainage	Concealed		Face		None			Spacer bar colour					

LOCATION							QTY	Threshold	Frame	Aluminium (silver)	Aluminium (gold)	Notes / Special requirements	
								Threshold tray	Yes	No			
Scheme								Handle colour	White	Black	Chrome	Gold	
Slide direction	Left		Right					Hardware colour	White	Black	Chrome	Gold	
Width	(including add-on)							Add-on size	10mm	20mm	50mm	2.5mm coupler	20mm coupler
Height	(including cill)							Side(s) required	Top	Bottom	Left	Right	
Midrail height	(if not 850mm)							Glass type	Toughened		Laminated		
Opening direction	Open in			Open out				Glass appearance	Clear	Patterned:			
Cill type	85mm	150mm	165mm	180mm	225mm	None		Spacer bar type	Aluminium		Warm edge spacer		
Drainage	Concealed		Face		None			Spacer bar colour					

**Declaration** - I understand the product specification and confirm familiarity with the producer's standards. I understand that this order cannot be cancelled, changed or delayed once placed and accept full responsibility for this order, even if it has been completed by a third party or TruFrame representative. I have read, understood and agreed to the terms and conditions of sale. By submitting this order form, I instruct TruFrame to process this order as per this declaration.

Signed: \_\_\_\_\_

Date: \_\_\_\_\_

**Patio Doors**  
Liniar 70mm system

**Order**

**Quote**

Company name:	Page: _____ of _____	Date:
Company postcode:	Requested delivery date:	
Contact name:	Your reference:	
Contact telephone:	Our order number:	

System type	Sculptured only		
Bead type	Sculptured only		
Colour			
Glazing	Glazed	Unglazed	
Glass spec to WER	C	A	A+










Hand Finished Windows & Doors  
Units 3KLM Hudson Road,  
Saxby Road Industrial Estate,  
Melton Mowbray  
Leicestershire LE13 1BS

T: 01664 401140  
F: 01664 401141

E: orders@truframe.co.uk  
E: quotes@truframe.co.uk

ALL SCHEME DRAWINGS ARE VIEWED FROM OUTSIDE



LOCATION							QTY	Handle colour	White	Black	Chrome	Gold	Notes / Special requirements	
								Letterbox	Yes		No			
Scheme								Letterbox colour	White	Black	Chrome	Gold		
Width	(including add-on)							Add-on size	10mm	20mm	50mm	2.5mm coupler	20mm coupler	
Height	(including cill)							Side(s) required	Top	Bottom	Left	Right		
Midrail height	(if not 850mm)							Glass type	Annealed	Toughened	Laminated			
Cill type	85mm	150mm	165mm	180mm	225mm	None	Glass appearance	Clear	Patterned:					
Drainage	Concealed	Face		None			Spacer bar type	Aluminium		Warm edge spacer				
Threshold	Frame	Aluminium (silver)		Aluminium (gold)			Spacer bar colour							

LOCATION							QTY	Handle colour	White	Black	Chrome	Gold	Notes / Special requirements	
								Letterbox	Yes		No			
Scheme								Letterbox colour	White	Black	Chrome	Gold		
Width	(including add-on)							Add-on size	10mm	20mm	50mm	2.5mm coupler	20mm coupler	
Height	(including cill)							Side(s) required	Top	Bottom	Left	Right		
Midrail height	(if not 850mm)							Glass type	Annealed	Toughened	Laminated			
Cill type	85mm	150mm	165mm	180mm	225mm	None	Glass appearance	Clear	Patterned:					
Drainage	Concealed	Face		None			Spacer bar type	Aluminium		Warm edge spacer				
Threshold	Frame	Aluminium (silver)		Aluminium (gold)			Spacer bar colour							

LOCATION							QTY	Handle colour	White	Black	Chrome	Gold	Notes / Special requirements	
								Letterbox	Yes		No			
Scheme								Letterbox colour	White	Black	Chrome	Gold		
Width	(including add-on)							Add-on size	10mm	20mm	50mm	2.5mm coupler	20mm coupler	
Height	(including cill)							Side(s) required	Top	Bottom	Left	Right		
Midrail height	(if not 850mm)							Glass type	Annealed	Toughened	Laminated			
Cill type	85mm	150mm	165mm	180mm	225mm	None	Glass appearance	Clear	Patterned:					
Drainage	Concealed	Face		None			Spacer bar type	Aluminium		Warm edge spacer				
Threshold	Frame	Aluminium (silver)		Aluminium (gold)			Spacer bar colour							

**Declaration** - I understand the product specification and confirm familiarity with the producer's standards. I understand that this order cannot be cancelled, changed or delayed once placed and accept full responsibility for this order, even if it has been completed by a third party or TruFrame representative. I have read, understood and agreed to the terms and conditions of sale. By submitting this order form, I instruct TruFrame to process this order as per this declaration.

Signed: \_\_\_\_\_

Date: \_\_\_\_\_

**uPVC Doors**  
Linlar 70mm system

**Order**

**Quote**

Company name:	Page: _____ of _____	Date:
Company postcode:	Requested delivery date:	
Contact name:	Your reference:	
Contact telephone:	Our order number:	

System type	Sculptured	Chamfered
Bead type	Sculptured	Chamfered
Colour		
Glazing	Glazed	Unglazed
Glazing type	Double	Triple
Glass spec to WER	C	A
Secured by Design	Yes	No

**TruFrame**  
Hand Finished Windows & Doors  
Units 3KLM Hudson Road,  
Saxby Road Industrial Estate,  
Melton Mowbray  
Leicestershire LE13 1BS  
T: 01664 401140  
F: 01664 401141  
E: orders@truframe.co.uk  
E: quotes@truframe.co.uk

	Width	(including add-on)						Hinge protector	Yes	No	Notes / Special requirements			
	Height	(including cill)						Letterbox	Yes	No				
	Midrail height	(if not 850mm)						Letterbox colour						
	Toplight drop	(if not 400mm)						Midrail joint type	Mechanical	Welded		N/A		
	Opening direction	Open in			Open out			French doors	Yes	No				
	Cill type	85mm	150mm	165mm	180mm	225mm	None	Master leaf	Left	Right		N/A		
	Drainage	Concealed		Face		None		Handle quantity	x2	x1		N/A		
	Threshold type	57mm	77mm	Aluminium (silver)	Aluminium (gold)			Add-on size	10mm	20mm		50mm	2.5mm coupler	20mm coupler
	Threshold tray	Yes			No			Side(s) required	Top	Bottom		Left	Right	
	Handle operation	Lever/Lever			Lever/Pad			Glass type	Annealed	Toughened		Laminated	Panel details (if required)	
	Handle colour							Glass appearance	Clear	Patterned:				
	Cylinder type	Standard			TS007 3 Star			Spacer bar type	Aluminium			Warm edge spacer		
	LOCATION	QTY						Hinge colour	Spacer bar colour					

	Width	(including add-on)						Hinge protector	Yes	No	Notes / Special requirements			
	Height	(including cill)						Letterbox	Yes	No				
	Midrail height	(if not 850mm)						Letterbox colour						
	Toplight drop	(if not 400mm)						Midrail joint type	Mechanical	Welded		N/A		
	Opening direction	Open in			Open out			French doors	Yes	No				
	Cill type	85mm	150mm	165mm	180mm	225mm	None	Master leaf	Left	Right		N/A		
	Drainage	Concealed		Face		None		Handle quantity	x2	x1		N/A		
	Threshold type	57mm	77mm	Aluminium (silver)	Aluminium (gold)			Add-on size	10mm	20mm		50mm	2.5mm coupler	20mm coupler
	Threshold tray	Yes			No			Side(s) required	Top	Bottom		Left	Right	
	Handle operation	Lever/Lever			Lever/Pad			Glass type	Annealed	Toughened		Laminated	Panel details (if required)	
	Handle colour							Glass appearance	Clear	Patterned:				
	Cylinder type	Standard			TS007 3 Star			Spacer bar type	Aluminium			Warm edge spacer		
	LOCATION	QTY						Hinge colour	Spacer bar colour					

**Declaration** - I understand the product specification and confirm familiarity with the producer's standards. I understand that this order cannot be cancelled, changed or delayed once placed and accept full responsibility for this order, even if it has been completed by a third party or TruFrame representative. I have read, understood and agreed to the terms and conditions of sale. By submitting this order form, I instruct TruFrame to process this order as per this declaration.

Signed: \_\_\_\_\_

Date: \_\_\_\_\_

